

Cuglacrete Hechtprimer cementgebonden

- CUGLACRETE HECHTPRIMER CEMENTGEBONDEN is a polymer modified cementitious adhesive layer. After mixing with water a mortar with a high fluidity is obtained, to pre-treat the substrate with a sprayer, roller or brush.
- CUGLACRETE HECHTPRIMER CEMENTGEBONDEN is an excellent bonding primer for all cementitious substrates.
- CUGLACRETE HECHTPRIMER CEMENTGEBONDEN gives a good adhesion on and protection of the reinforcement.
- CUGLACRETE HECHTPRIMER CEMENTGEBONDEN complies with the requirements of the Building Materials Decree



Directions for use

Pre-treatment

The surface onto which CUGLACRETE HECHTPRIMER CEMENTGEBONDEN has to be applied needs to be clean. The cement skin coating should be removed and no free water may be present. The clean substrate shall be well pre-wetted but free from water on the surface

Mixing

Mechanically mix CUGLACRETE HECHTPRIMER CEMENTGEBONDEN until it becomes a homogeneous mixture. Mixing time depends on the type of mixer, approx. 3 minutes.

Water dosage

Water bandwidth: 1,6 – 2,0 ltr/10 kg mortar. Dose, within the indicated water bandwidth, with plenty of water so as to produce a mortar with a high fluidity.

Processing

After using CUGLACRETE HECHTPRIMER CEMENTGEBONDEN, the CUGLACRETE repair product needs to be applied “wet in wet”.

Use

Approx. 1 kg dry mortar per m².

Follow-up treatment

Not applicable

Storage and shelf life

If stored in a dry place it has a shelf life of up to 12 months after production date, as stated on the packaging.

Packaging

In a bucket of 10 kg.

Health and environmental aspects

Cugla advises:

- To wear appropriate personal protective equipment (PPE).
- To avoid contact with eyes and skin.
- In case of contact with the eyes, to rinse immediately with plenty of water and seek medical advice.
- In case of swallowing the product immediately contact a doctor and show the package or the safety data sheet.

Safety data sheets, SDS, are available via our website www.cugla.com.

Changes to this document will not automatically be issued. Any previous product information hereby becomes null and void. The above data is provided to the best of our knowledge. The tests have been carried out under laboratory conditions. We will not accept any liability for the results achieved on the work, now that we have no influence on the process nor the specific conditions of the work.

Our general sales, delivery and payment conditions apply to all our transactions and are available at www.cugla.com.